



Modular design  
Easy maintenance



**Product type**

Pixel pitch(mm)	<b>A4</b> 4.8
Pixel configuration	SMD2525
Module size(mm)	250x250
Cabinet size(W"H*D mm)	1000x1000x100
Pixel Density (Pixels m2)	43,264
Brightness(cd/m2)	4500 < & < 5500
Cabinet Material	Powder Coated Steel
Cabinet weight(kg)	52kg
Input Power Frequency	>1920 Hz
Input voltage Nominal V	220V (110, 11(),.220)

**A5**

Pixel pitch(mm)	5.9
Pixel configuration	SMD3535
Module size(mm)	250x250
Cabinet size(W"H*D mm)	1000x1000x100
Pixel Density (Pixels m2)	28,224
Brightness(cd/m2)	>4800
Cabinet Material	Powder Coated Steel
Cabinet weight(kg)	52kg
Input Power Frequency	>1920 Hz
Input voltage Nominal V	220V (110. 11(),.220)

**Product type**

Pixel pitch(mm)	<b>A6</b> 6.9
Pixel configuration	SMD3535
Module size(mm)	250x250
Cabinet size(W"H*D mm)	1000x1000x100
Pixel Density (Pixels m2)	20,738
Brightness(cd/m2)	>4500
Cabinet Material	Powder Coated Steel
Cabinet weight(kg)	52kg
Input Power Frequency	>1920 Hz
Input voltage Nominal V	220V (110. 110-220)

**A8**

Pixel pitch(mm)	8.9
Pixel configuration	SMD3535
Module size(mm)	250x250
Cabinet size(W"H*D mm)	1000x1000x100
Pixel Density (Pixels m2)	12,544
Brightness(cd/m2)	>3000
Cabinet Material	Powder Coated Steel
Cabinet weight(kg)	52kg
Input Power Frequency	>1920 Hz
Input voltage Nominal V	220V(110. 110-220)

**A10**

Pixel pitch(mm)	10.4
Pixel configuration	SMD3535
Module size(mm)	250x250
Cabinet size(W"H*D mm)	1000x1000x100
Pixel Density (Pixels m2)	9,217
Brightness(cd/m2)	>5000
Cabinet Material	Powder Coated Steel
Cabinet weight(kg)	52kg
Input Power Frequency	>1920 Hz
Input voltage Nominal V	220V(110,110-220)